

**15A NCAC 18C .1209 UNTREATED DOMESTIC SEWAGE OR INDUSTRIAL WASTES**

No treated or untreated domestic sewage, treated or untreated industrial waste or by-products shall be stored on the watershed of or discharged into any public water supply reservoir or stream tributary to that reservoir whose waters are classified as WS-I. No untreated domestic sewage or industrial waste by-products shall be discharged into any public water supply reservoir or stream classified as WS-II, WS-III, WS-IV, or WS-V. No hazardous waste, industrial by-products, treated or untreated domestic sewage shall be stored in the watershed of a Class I or Class II water supply reservoir. No hazardous waste or industrial by-products shall be stored in the watershed of a WS-II, WS-III, WS-IV, or WS-V stream unless precautions are taken to prevent its being spilled into or otherwise entering the raw water supply.

*History Note:* Authority G.S. 130A-315; 130A-320; P.L. 93-523;  
Eff. January 1, 1977;  
Readopted Eff. December 5, 1977;  
Amended Eff. February 1, 1987;  
Transferred and Recodified from 10 NCAC 10D .1306 Eff. April 4, 1990;  
Amended Eff. July 1, 1994; September 1, 1990;  
Pursuant to G.S. 150B-21.3A, rule is necessary without substantive public interest Eff. November 23, 2015.